Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources					
Supplier's name	e or trade mark:	vidaxl			
Supplier's address: Thomas Yang, Mary Kingsleystraat 1 5928SK Venlo The Netherlands					
Model identifie	r: 0038NBZ05				
Type of light so	urce:				
Lighting technology used:		LED	Non-directional or directional:	NDLS	
Light source cap-type		N/A			
(or other electric interface)					
Mains or non-mains:		NMLS	Connected light source (CLS):	No	
Colour-tuneable light source:		No	Envelope:	-	
High luminance light source:		No			
Anti-glare shield:		No	Dimmable:	No	
		Product para			
Parameter		Value	Parameter	Value	
		General product p		I	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		5	Energy efficiency class	F	
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		590 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	5 250	
On-mode power (P _{on}), expressed in W		5,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00	
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	84	
Outer dimen-	Height	400	Spectral power dis-	See image	
sions without	Width	340	tribution in the	in last page	
separate con- trol gear, light- ing control		370	range 250 nm to 800 nm, at full-load		

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,462			
		nates (x and y)	0,413			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	14	Survival factor	0,99			
the lumen maintenance factor	0,98					

(a)'-': not applicable; (b)'-': not applicable;

