Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| Supplier's name or trade mark: vidaxl | | | |
|--|--|--|--|
| Supplier's address: vidaXL, Mary Kingsleystraat 1 5928SK Venlo The Netherlands | | | |

| Model identifier: | 2023BZL0300 |
|-------------------|-------------|
|-------------------|-------------|

| Type of li | ght sou | rce: |
|------------|---------|------|
|------------|---------|------|

| Type of light so | uice. | | | |
|---|--|-------------------------|--|--------------|
| Lighting technol | logy used: | LED | Non-directional or directional: | NDLS |
| Light source cap | o-type | NA | | |
| (or other electri | c interface) | | | |
| Mains or non-m | ains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable | e light source: | No | Envelope: | - |
| High luminance | light source: | No | | |
| Anti-glare shield | d: | No | Dimmable: | Yes |
| | | Product para | meters | |
| Parameter | | Value | Parameter | Value |
| | | General product p | arameters: | |
| | nption in on- 00 h), rounded st integer | 2 | Energy efficiency class | G |
| dicating if it refe a sphere (360°) | s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º) | 120 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 2 500 |
| On-mode pow pressed in W | ver (P _{on}), ex- | 2,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 |
| (P _{net}) for CLS, 6 | andby power expressed in W the second dec- | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 80 |
| Outer dimen- | Height | 7 | Spectral power dis- | See image |
| sions without | Width | 5 | tribution in the | in last page |
| separate con- trol gear, light- ing control | Depth | 5 | range 250 nm to 800 nm, at full-load | |

| parts and non- lighting con- trol parts, if any (millime- tre) | | | | |
|--|------|------------------------------|-------|--|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - | |
| | | Chromaticity coordi- | 0,481 | |
| | | nates (x and y) | 0,420 | |
| Parameters for LED and OLED light sources: | | | | |
| R9 colour rendering index value | 8 | Survival factor | 0,90 | |
| the lumen maintenance factor | 0,96 | | | |

(a)'-': not applicable; (b)'-': not applicable;

